



## AC265V 140Lm/w 100W 5000K led outdoor area street lighting

### Our Product Introduction

#### Basic Information

- Place of Origin: China
- Brand Name: Yahua lighting
- Certification: CE ROHS
- Model Number: YHZ-SLA
- Minimum Order Quantity: 1pc
- Price: USD45-USD46.00/PC
- Packaging Details: Foam+Carton
- Delivery Time: 5-8 Days
- Payment Terms: L/C, D/A, D/P, T/T, Western Union, MoneyGram
- Supply Ability: 5000pcs





#### Product Specification

- Input Voltage(v): AC85-265V
- CRI: 85
- Ip Rating: IP65
- Item Type: Street Lights
- Working Lifetime(hour): 50000
- Lamp Luminous Flux(lm): 14000Lm
- Working Temperature(°C): -30 - 60
- Led Light Source: SMD3030
- Lamp Luminous Efficiency(lm/w): 160
- Power Factor: >0.95
- Highlight: 5000K led street lighting,  
100W outdoor area street lighting



#### More Images

Two specifications of the light poles back cover, the lamps can be used more widely



## Product Description

### AC85V to 265V 140Lm/w 5000K color temperature outdoor 100w led street light

Outdoor led street lighting Features:

With all aluminum positive and other cooling technology, perfect and efficient solution to the problem of LED heat dissipation, greatly extend the life of light source.

Free from dust, water design, reduce the pressure of cleaning and maintenance, suitable for outdoor environment.

Ultra-thin shape design, easy storage and maintenance.



high-pressure cast aluminum shell molding of the paint processing, strong corrosion resistance.

Waterproof Protection level up to IP66.IP67


High-pressure die casting aluminum fin and shell integration, durable, impact resistance

Input Voltage	AC85V 265V
Frequency Range	50Hz 60Hz
Total Harmonic Distortion	≤ 10 %
Power Factor	0.95
LED chip	3030
Led Luminous Efficiency	140Lm/W
Led Initial Flux	14000Lm
Lamp Efficiency	95%
Color Temperature	3000-6500K
Color Rendering Index	Ra 85
Warranty	3-5 years
Working Temperature	-40°C +60°C
IP Grade	IP65
Working Life-span	>50000H

### Product details




Integrated design of driver box and arm can save the space and reduce the wind resistance to the best.



Support Diameter 40mm and 60mm's pole



Prospective design, excellent performance




IP67 Grade, Wind resistance Grade- 17




### 可配置超频三路灯转接头

超频三路灯转接头，带清晰刻度表，120°  
角度可调节，光随心动。


子午面配光曲线



最大光强处圆锥面光强分布曲线





 **Shaanxi Yahua Lighting Electric Equipment Co., Ltd.**

 +86 2981028690

 [summer@sxyhzm.com](mailto:summer@sxyhzm.com)

 [solarledstreet-light.com](http://solarledstreet-light.com)

No.1 Xinxu Avenue New Industrial Park, Hi-tech Zone, Xi'an, China