

# Aluminum CRI 80 IP65 60w 100w 150w 200w LED Low Bay light

# **Basic Information**

- Place of Origin:
- Brand Name:
- Certification:
- Model Number:
- Minimum Order Quantity:
- Price:

**Our Product Introduction** 

- Packaging Details:
- Delivery Time:
- Payment Terms:
- Supply Ability:
- CE ROHS YHZ-UFO 1pc USD30.00-USD40.00 Foam+Carton 5-8Days D/A, D/P, T/T, Western Union, MoneyGram, L/C 1000PCS



## **Product Specification**

- Input Voltage:
- Material:
- Color Temperature:
- Beam Angle(°):
- Certificate:
- Surge Protection:
- Highlight:
- Aluminum 5000K 6000K 60/90/120° CE ROHS IES 4000V

AC85-265V

China

Yahua lighting

200w LED Low Bay light, 60w LED Low Bay light



## More Images



## **Product Description**

#### Aluminum high bay light housing CRI 80 60w 100w 150w 200w IP65 IK08

Our economical UFO high bay provides a simple but ideal solution for commercial/ industrial application. Its low-profile height allows for efficient packaging, as well as accommodates applications where low wattage fixture is undesirable.

#### Features

\* Energy savings of up to 60%


\* Long life span – up to 100,000 Hrs

- \* Available in various beam angles
- \* Meet CE ETL standard LED driver
- \* No mercury or toxic gas

\* RoHS compliant

Model	YHZ-UFO100	YHZ-UFO150	YHZ-UFO200	YHZ-UFO240
Watt	100W	150W	200W	240W
Input voltage	100-277V,277-480VAC			
Frequency	50/60 Hz			
IP Rate	IP65			
Power factor	≥0.95			
Conversion efficiency	≥86%			
CRI	>80			
Lifetime	50000Hrs			
ССТ	3000K,4000K,5000k,5700k,6500K			
Light efficacy	140LM/W & 160LM/W for optionI			
Lumen(150LM/W)	15000LM	22500LM	30000 Lm	36000LM
Lumen(130LM/W)	13000LM	19500LM	26000LM	31200LM
Beam Angle	60,90,120 Deg			
Base	Line Interface			
Certificate	CE,CB,TUV GS,RoHS,SAA,ETL, cETL,DLC(4000K,5000K,5700K)			
material	Aluminum +PC			
ETL file number	5001457			
Special function	1-10V Dimming (Extra \$2/pc),Motion sensor,Photosensor,Zigbee also available			
Warranty	5 years			
Installation	Hook / Bracket			
package	1 pc/ctn			
gross weight	2.3KG	3.35KG	4.1KG	4.7KG





No.1 Xinxi Avenue New Industrial Park, Hi-tech Zone, Xi'an, China