



## Hot Dipped Galvanized 9m 10m LED Street Light Pole

### Our Product Introduction

for more products please visit us on [solarledstreet-light.com](http://solarledstreet-light.com)

#### Basic Information

- Place of Origin: China
- Brand Name: Yahua lighting
- Certification: CE ROHS
- Model Number: YHZ-LP
- Minimum Order Quantity: 30pcs
- Price: USD90-USD120
- Packaging Details: Foam
- Delivery Time: 5-8Days
- Payment Terms: D/A, D/P, T/T, Western Union, MoneyGram
- Supply Ability: 1000pcs





#### Product Specification

- Item Type: Light Pole
- Warranty(year): 10
- Application: ROAD,Roadway,outdoor,park Highway
- Lamp Body Material: Q235 Steel
- Standard: ASTM
- Street Light Pole: Hot Galvanized Pole
- Highlight: 10m LED Street Light Pole,  
9m LED Street Light Pole



#### More Images



## Product Description

### 9m 10m Single double arm hot dipped galvanized light pole


Type	Street Lamp pole, lamp post, Lamp column, Street Light Pole
Shape	Conoid ,Multi-pyramidal,Columniform,polygonal or conical
Material	Q235B/A36,minimum yield strength $\geq$ 235n/mm <sup>2</sup> As well as Hot rolled coil from Q460 ,ASTM573 GR65, GR50 ,SS400, SS490ST52
Tolerance of dimension	$\pm$ 0.02
Design Load in Kg	300~ 1000 Kg applied to 50cm from the top pole
Surface treatment	Hot dip galvanized Following ASTM A 123, color polyester powder or any other standard by client required.
Standard	Octagonal tapered column Conforms to Standard: Pole design : BS EN 40 Material : BS EN 10025 S275 / JIS G3101 SS400 Welding : BS 5135 Galvanizing : BS 729 / ISO 1461 ASTM A 123
Length of per section	Within 14m once forming without slip joint.
Suit for	Highway Roadway Residential subdivisions Commercial development
Option	Height from 6m to 12m Flange mounted or planted type Variable arm length from 0.125m to 3.0m with single or double arm type Variable spigot size from 35mm to 60mm.
Production Process	Raw material test → Cutting → Molding or bending → Welding (longitudinal ) → Dimension verify → Flange welding → Hole drilling → Calibration → Deburr → Galvanization or powder coating ,painting → Recalibration → Thread → Packages
Packages	Our poles as normal cover by bubble pack/blanket or straw bale at the top and bottom ,anyway also can following by client required
Warranty	At least 20 years.










 **Shaanxi Yahua Lighting Electric Equipment Co., Ltd.**

 +86 2981028690

 [summer@sxhzm.com](mailto:summer@sxhzm.com)

 [solarledstreet-light.com](http://solarledstreet-light.com)

No.1 Xinxu Avenue New Industrial Park, Hi-tech Zone, Xi'an, China