

Outdoor 80W Waterproof Solar LED Street Light DC12V

Basic Information

. Place of Origin: China

. Brand Name: Yahua lighting **CE ROHS IES** · Certification: YHZ-SSL-80W Model Number:

• Minimum Order Quantity: 1PC

Foam+Carton Packaging Details: . Delivery Time: 5-8Days

Payment Terms: L/C, D/A, D/P, T/T, Western Union,

MoneyGram

1000PCS . Supply Ability:



Product Specification

DC12V • Input Voltage(v):

• Item Type: Solar Street Lights • Application: Highway, Road, Park

-20 - 60 • Working Temperature():

· Led Light Source: Bridgelux From USA • Solar Panel: Mono Solar Panel Li-ion Lithium . Battery: • Warranty: 3 Years

• Highlight: 80W Solar LED Street Light,

DC12V Solar LED Street Light, 160Lm/w Solar LED Street Light



More Images





Product Description

High efficiency 160Lm/w die casting aluminum 80W solar led street light for high way

Feature

- 1. LED light, solar panel, lithium battery and controller, all in one compact design.
- 2. No wiring, 100% solar powered , easy to install and ship.
- 3. Built-in infrared sensor, can adjust the light output automatically.
- 4. Rust-proof, dustproof and waterproof IP65.

This type of solar light is one of the most convenient and versatile solar outdoor lighting products on the market. The IP65 waterproof aluminum alloy material and the integrates solar panel, the replaceable lithium batteries, and the dusk-to-dawn timing controller all into one unit. Installation is as simple as bolting the light on the wall or mounting on the light pole...There is wireless to connect whatsoever! Normally, It takes approximately 9-10 hours of direct sunlight to fully charge, with the panel facing south. And the The solar system converts the suns energy into electricity and stores it to provide up to ten hours of light plus three days worth of backup energy. The professional quality and reliability of this outstanding light makes it suitable for numerous outdoor uses around your home, farm, ranch, swimming pool, deck, building or business location.






Light source	80W	90W	100W
Solar panel	DC18V 18W	DC18V	DC18V 40W
Battery	12.8V 30Ah lithium	12.8V 33Ah lithium	12.8V 39Ah lithium
,	battery	battery	battery
Charging time	6Hours	6Hours	6Hours
Working time	Full power: 12Hours Saving mode:>20hours	Full power: 12Hours Saving mode:>20hours	Full power: 12Hours Saving mode:>20hours
Dimension	1080*390*42mm	1080*390*42mm	1080*450*42mm
Net weight	5kgs	8kgs	12kgs
Mounting height	6-7m	7-8m	7-8m
Color Temperature	-20~+60	-20~+60	-20~+60
Beam angle	120°	120°	120°
Certificate	CE ROHS	CE ROHS	CE ROHS
Warranty	3 Years	3 Years	3 Years















+86 2981028690



summer@sxyhzm.com



solarledstreet-light.com