

# IP65 60w All In One Solar LED Street Light For Garden

## **Basic Information**

- Place of Origin:
- Brand Name:
- Certification:
- Model Number:
- Minimum Order Quantity:
- Price:
- Packaging Details:
- Delivery Time:
- Payment Terms:
- Supply Ability:
- CE ROHS IES YHZ-SSL-60W 1PC USD-110.00~126.00/PC Foam+Carton 5-8Days L/C, D/A, D/P, T/T, Western Union, MoneyGram 1000PCS

China

Yahua lighting



## Product Specification

- Input Voltage(v):
- Item Type:
- Application:
- Working Temperature(°C):
- Led Light Source:
- Solar Panel:
- Battery:
- Warranty:
- Highlight:

Solar Street Lights
Highway, Road, Park
-20°C~+60°C
Bridgelux From USA
Mono Solar Panel
Li-ion Lithium
3 Years
60w Solar LED Street Li


DC12V

60w Solar LED Street Light, IP65 Solar LED Street Light, DC18V Solar LED Street Light



### More Images





### **Product Description**

#### High efficiency 160Lm/w die casting aluminum 60W solar led street light for garden

#### Feature:

- 1. LED light, solar panel, lithium battery and controller, all in one compact design.
- 2. No wiring,100% solar powered ,easy to install and ship.
- 3. Built-in infrared sensor, can adjust the light output automatically.
- 4. Rust-proof, dustproof and waterproof IP65.

This type of solar light is one of the most convenient and versatile solar outdoor lighting products on the market. The IP65 waterproof aluminum alloy material and the integrates solar panel, the replaceable lithium batteries, and the dusk-to-dawn timing controller all into one unit. Installation is as simple as bolting the light on the wall or mounting on the light pole...There is wireless to connect whatsoever! Normally, It takes approximately 9-10 hours of direct sunlight to fully charge, with the panel facing south. And the The solar system converts the suns energy into electricity and stores it to provide up to ten hours of light plus three days worth of backup energy. The professional quality and reliability of this outstanding light makes it suitable for numerous outdoor uses around your home, farm, ranch, swimming pool, deck, building or business location.





20.5kg

7-8m

120°

-20~+60

CE ROHS

3 Years

16kg

6-7m

120°

-20~+60

CE ROHS

3 Years

Commodity

Mounting height

Temperature Beam angle

Certificate

Warranty

weight

Color

26kg

8-10m


120°


-20~+60

CE ROHS

3 Years







summer@sxyhzm.com Solarledstreet-light.com

No.1 Xinxi Avenue New Industrial Park, Hi-tech Zone, Xi'an, China

+86 2981028690