



Shaanxi Yahua Lighting Electric Equipment Co., Ltd.

solarledstreet-light.com

solar powered outdoor 60 led 80 led security light with motion sensor security lights

Our Product Introduction

for more products please visit us on solarledstreet-light.com


Basic Information

- Place of Origin: Guangdong China
- Brand Name: high Lumen Led street light
- Certification: EMC, RoHS, CE, LVD
- Model Number: YH-SL
- Minimum Order Quantity: 10
- Price: USD19-49
- Packaging Details: Foam + carton plus + wooden case
- Delivery Time: 3-7days
- Payment Terms: T/T, Western union, Paypal, Credit Card
- Supply Ability: 8000PCS/Month




Product Specification

- Luminous Flux: 150LM/W
- Type: Outdoor LED Street Light
- CRI: >80
- IP Rating: IP66 Waterproof
- Output: 24-54VDC, 50/60Hz
- Light Source: SMD3030, SMD5054
- Watt: 100W 150W 200W Street Light
- Color Temperature: 3000K- 6500K
- Highlight: Lithium Iron Phosphate Battery Road Lamp, 100W Outdoor Road Lamp, SMD3030 Outdoor LED Street Light



More Images



Product Description

Product Description:

Our Outdoor LED Street Light is made of high quality aluminum alloy material, which ensures it is strong and durable. This street light has adjustable color temperature ranging from 3000K- 6500K, and a color rendering index (CRI) of >80. It offers a high lumen output of up to 150LM/W, and a life span of up to 50,000 hours. Our outdoor LED street light is adjustable, energy saving and long lasting, making it perfect for outdoor lighting applications. It is equipped with a lifepo4 battery, allowing it to work efficiently even under extreme weather conditions. Our outdoor LED street light is a perfect choice for road lighting and is available at an affordable price.



Features:

Product Name: Outdoor-LED Street Light

Light Source: SMD3030,SMD5054

Voltage: Lithium Iron Phosphate Battery

Life Span: 50,000hrs

IP Rating: IP66 Waterproof

LED Street Light Lifepo4 Battery, energy street lights road lighting

Waterproof IP65 LED Street Light



Technical Parameters:

| Specification | Qty/CTN | Package |
|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------|---------------------------------------|
| 25W Solar Flood Light 6V 2W polycrystalline silicon, 3.2V 1200MAH lithium iron phosphate battery, 44pcs 2835 lamp beads, beam angle 120°, 8-10H, White 6500K, ABS + toughened glass, IP67 irradiation area: about 15 square meters, Intelligent remote control + light control+Time control | 20sets | 37*34.5*30CM /CTN GW: 12KGS/CTN |
| 30W Solar Flood Light 6V 3W polycrystalline silicon, 3.2V 1200MAH lithium iron phosphate battery, 100pcs 2835 lamp beads beam angle 120°, Lighting time 10-12H, White 6500K, ABS + toughened glass, IP67 irradiation area: about 20 square meters, Intelligent remote control + light control+Time control | 20sets | 48*32*32CM/CTN GW: 14KGS/CTN |
| 40W Solar Flood Light 6V 3W polycrystalline silicon, 3.2V 1500MAH lithium iron phosphate battery, 170pcs 2835 lamp beads beam angle 120°, Lighting time10-12H, White 6500K, ABS + toughened glass, IP67 irradiation area: about 30 square meters Intelligent remote control + light control+Time control | 20sets | 48*32*32CM/CTN GW: 14.5KGS/CTN |
| 65W Solar Flood Light 6V 6W polycrystalline silicon, 3.2V 3000MAH lithium iron phosphate battery, 100pcs 2835 lamp beads beam angle 120°, Lighting time10-12H, White 6500K, ABS + toughened glass, IP67 irradiation area: about 50 square meters Intelligent remote control + light control+Time control | 10sets | 41.5*28*38.5CM/CTN GW: 12.5KGS/CTN |

| | | |
|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------|------------------------------------------------------------------------------------------------------|
| 100W Solar Flood Light 6V 8W polycrystalline silicon, 3.2V 4000MAH lithium iron phosphate battery, 126pcs 2835 lamp beads, 120°, Lighting time 12 hours, White 6500K, ABS + toughened glass, IP67 irradiation area: about 80 square meters, Intelligent remote control + light control+Time control | 10sets | 54*37*50CM/CTN GW: 19KGS/CTN |
| 200W Solar Flood Light 6V 12W polycrystalline silicon, 3.2V 7000MAH lithium iron phosphate battery, 281pcs 2835 lamp beads, 120°, 4-6H, Lighting time 12 hours, White 6500K, ABS + toughened glass, IP67 irradiation area: about 120 square meters, Intelligent remote control + light control+Time control | 10sets | Light for 44*28.5*47.5CM/CTN GW: 13KGS/CTN Solar panel 36*28*32CM/CTN GW: 14KGS/CTN |
| 300W Solar Flood Light 6V 15W polycrystalline silicon, 3.2V 10000MAH lithium iron phosphate battery, 381PCS 2835 lamp beads, 120°, Lighting time >12 hours, White 6500K, ABS + toughened glass, IP67 irradiation area: about 180 square meters, Intelligent remote control + light control+Time control | 10sets | Light for 47*34.5*55.5CM/CTN GW: 19KGS/CTN Solar panel 37*28*37CM/CTN GW: 16KGS/CTN |
| 400W Solar Flood Light 6V 18W polycrystalline silicon, 3.2V 10000MAH lithium iron phosphate battery, 473PCS 2835 lamp beads, 120°, Lighting time >12 hours, White 6500K, ABS + toughened glass, IP67 irradiation area: about 200 square meters, Intelligent remote control + light control+Time control | 10sets | Light for 47*34.5*55.5CM/CTN GW: 20KGS/CTN Solar panel 42*30*37.5CM/CTN GW: 18KGS/CTN |
| 1000W Solar Flood Light 6V 20W polycrystalline silicon, 3.2V 12000MAH lithium iron phosphate battery, 1032PCS 2835 lamp beads, 120°, Lighting time >12 hours, White 6500K, ABS + toughened glass, IP67 irradiation area: about 220 square meters, Intelligent remote control + light control+Time control | 10sets | Light for 61*43.5*38.5CM/CTN GW: 23KGS/CTN Solar panel 50*31*38.5CM/CTN GW: 20KGS/CTN |

Applications:

High Lumen LED Street Light is a smart IP65 waterproof outdoor light home, which can be widely used in outdoor parks, streets, residential areas, factories, schools, gardens and other places. With its superior IP66 protection grade, it can effectively protect against water and dust, and can work normally in any severe environment. It can also provide a good lighting effect and a comfortable environment for pedestrians and drivers. This LED street light has a strong luminous flux of 150LM/W, which can make its lighting effect more efficient and energy-saving. The input voltage is AC85V-265V ($\pm 10\%$), and the life span is 50,000hrs. It has a high color rendering index of more than 80, which can make the lighting effect more vivid and beautiful. In addition, this LED street light is equipped with Lithium Iron Phosphate Battery, which has a long service life and is safer to use. With its intelligent IP65 parking lot lights, this LED street light can meet the needs of different occasions, and it's a great choice for outdoor lighting.

High Lumen Led Street Light has a minimum order quantity of 10 and a price range of USD19-49. Its packaging details includes foam+carton plus+wooden case, and has a short delivery time of 3-7days. In addition, it accepts payment terms such as T/T, Western union, Paypal, Credit Card and has a supply ability of 8000PCS/Month. With its certification of EMC, RoHS, CE and LVD, it guarantees the quality and performance of the product. The model number is YH-SL, and it is made in Guangdong, China.



Customization:

Customized Outdoor LED Street Light

This Outdoor LED Street Light is perfect for energy street lights road lighting. It has a waterproof IP65 rating, and is made with a waterproof IP67 300w 200w 100w material. It has a luminous flux of 150LM/W and an input voltage of AC 85V-265V ($\pm 10\%$).

Key Features:

Brand Name: high Lumen Led street light

Model Number: YH-SL

Place of Origin: Guangdong China

Certification: EMC, RoHS, CE, LVD

Minimum Order Quantity: 10

Price: USD19-49

Packaging Details: Foam + carton plus + wooden case

Delivery Time: 3-7days

Payment Terms: T/T, Western union, Paypal, Credit Card

Supply Ability: 8000PCS/Month

Color Temperature: 3000K- 6500K

Material: Aluminum Alloy

Luminous Flux: 150LM/W

IP Rating: IP66 Waterproof

Packing and Shipping:


Packaging and Shipping


Outdoor LED street lights are packaged in reinforced cardboard boxes with foam inserts to protect the lights during shipping. The boxes are then labeled with product specifications and shipped to customers.



 **Shaanxi Yahua Lighting Electric Equipment Co., Ltd.**

 +86 2981028690

 summer@sxyhzm.com

 solarledstreet-light.com

No.1 Xinxu Avenue New Industrial Park, Hi-tech Zone, Xi'an, China