

Outdoor IP66 Waterproof 40W 60W 80W Solar LED Street Light Integrated Microwave Sensor

Basic Information

Place of Origin: China

Brand Name: Yahua LightingCertification: CE IP65 ROHS ISO

Packaging Details: Anti-collision and shatterproof packaging

• Delivery Time: 5-8 days

• Payment Terms: T/T, Western Union, MoneyGram

Supply Ability: 500Pcs/month



Product Specification

Material: Aluminum Alloy

• Waterproof Level: IP65

Luminous Flux: 150-160LM/WWorking Temperature: -20°C~+60°C

Lighting Angle: 140°
Warranty: 3 Years
Color Temperature: 6000K

Solar Panel: Monocrystalline Silicon

Highlight: energy saving solar lamp ip65,

integrated solar street lamp aluminum alloy, integrated solar street light energy saving



More Images





Product Description

Product Description

Features:

- 1. Mainstream integrated structure design, saving transportation costs.
- 2. Bridgelux chips 5050 (Lifetime 100000hours).
- 3. The lamp adopts high-end aluminum alloy material.
- 4. Imported high-efficiency monocrystalline silicon.
- 5. Whole lamp can be 30° adjustable.
- 6. Built-in LifePO4 battery.
- 7. Beam angle is 80°*155°, wide lighting area.
- 8. Easy to install and disassembly, convenient for maintenance.
- 9. With 4 lighting modes, flexible to switch via remote control.
- 10. Remote control distance up to 15 meters.
- 11. Lighting Time Control Mode: 2H 100% + 2H 60% +3H 30% + 5H 20%.

Model	YH-SSL-40A	YH-SSL-60A	YH-SSL-80A
Monocrystalline solar panel	18V 37W	18V 44W	18V 57W
battery capacity	12.8V 12AH	12.8V 18AH	12.8V 24AH
CCT	2700K-6500K		
Lumens	180LM/W		
Charging time	6-8hours by bright sunshine		
Working time	12-15hours(5-7rainy day)		
Control Mode	Time control+Microwave induction/Infrared induction		
Mounting High	4-6m	5-7m	6-8m
Installing space between 2 lamps	10-20m	15-25m	20-30m
Mounting hole	78mm		
Warranty	3 years		
Product size(mm)	697*361*209	846*361*209	1096*361*209
Net weight(kg)	7.7	9.5	11.7
IP Rating	IP66		

Details Images

Packing & Delivery

