SMD 5050 All In One Solar Street Lighting Aluminum Alloy Solar Powered Street Lamp 300-500W

Basic Information

- Place of Origin:Brand Name:
- Guangdong China Yahua Solar Street lighting
- Certification: CE IP65 ROHS ISO
- Packaging Details:
- Delivery Time:
- Payment Terms:
- Supply Ability:
- Anti-collision and shatterproof packaging
- 5-8 days
 - T/T, Western Union, MoneyGram
 - 500 pcs/month



Product Specification

- IP Rating:
- Model Name:
- Panel:
- Led Chip:
- Warranty:
- Color Temperature:
- Life Span:
- Lighting Mode:
- Highlight:

- IP65 Waterproof
- All In One Solar Street Lighting
- Mono Solar Panel
- SMD3030
- 5 Years
 - 3000K-6500K

50,000hrs+

Remote Control+Light Control+Radar Sensor

6500K All In One Solar Lighting, Integrated Solar Powered LED Street Lighting, Aluminum Alloy Solar Street LED Light

Intelligent light-control

Die-cast aluminum integrated she






fully automatic light sensing Light off during the day automatically charging When the ambient light is dimmed, it automatically lights up for illumination

More Images





Product Description

Feature :

- * High Brightness SMD 5050 LED Chips
 * High Energy Efficiency
 * Low Power Consumption
 * Long Life-span, low temperature rising
 * With remote controller
 * With remote controller

- * Warranty 2 years with a lifespan over 50000 hours

Model NO.	Specifications	Dimension (mm)	
	Power: 300W(with sensor)		
YH-SSLH-300W	Capacity: 12V 24AH		
	Mono Solar Panel: 18V 60W		
	LED type: SMD2835		
	Lamp Viewing Angle: 90°	Product size: 887x400x275	
	Luminous Flux: 5000-6000lm	Packing data: 1pcs/carton Carton size: 900×420×190	
	Microwave sensor: YES	-	
	Color Temp: 2700-6500k		
	Housing: Dia-cast Aluminum	-	
	Ingress Protection: IP65		
	Power: 400W(with sensor)		
	Capacity: 12V 30AH		
	Mono Solar Panel: 18V 80W		
	LED type: SMD2835		
YH-SSLH-400W	Lamp Viewing Angle: 90°	Product size: 1160x400x275 Packing data: 1pcs/carton	
TT-GGL1-40000	Luminous Flux: 7000-8000lm	Carton size: 1180×420×190	
	Microwave sensor: YES		
	Color Temp: 2700-6500k		
	Housing: Dia-cast Aluminum		
	Ingress Protection: IP65		
	Power: 500W(with sensor)		
	Capacity: 12V 36AH		
	Mono Solar Panel: 18V, 100W		
	LED type: SMD2835		

r

	YH-SSLH-500W		Product size: 1435x400x275 Packing data: 1pcs/carton Carton size: 1460×420×190		
		Luminous Flux: 10000-12000lm			
		Microwave sensor: YES			
		Color Temp: 2700-6500k			
		Housing: Dia-cast Aluminum			
		Ingress Protection: IP65			
🔗 Shaanxi Yahua Lighting Electric Equipment Co., Ltd.					
	🕓 +86 2981028690 🕒 summer@sxyhzm.com 📀 solarledstreet-light.com				
	No.1 Xinxi Avenue New Industrial Park, Hi-tech Zone, Xi'an, China				