Outdoor Waterproof Aluminum LED Flood Light 50W 80W 100W 150W 200W IP65 Smd Ultra-Thin LED Flood Light

Basic Information

- Place of Origin:
- Brand Name:
- Certification:
- Model Number:
- Minimum Order Quantity:
- Price:

1

- · Packaging Details:
- Delivery Time:
- Payment Terms:
- Yahua lighting CE, ROH, IP65, ISO9001 YHZ-FL 1

8000PCS/Month

USD19-69

China

Foam + carton plus + wooden case

T/T, Wester union, Paypal, Credit Card

- 3-7days
- Supply Ability:



Product Specification

- Package: Carton Box CRI: >80 IP66 • IP Rating: • Lifespan: 50,000hrs • Light Source: LED • Working Time (hours): 50000 Application: Squares, Farm, School, Park, Stadium Feature: Rechargeable • Highlight:
 - Aluminum LED Flood Light, School LED Flood Light IP66



More Images



Marketing Campaign

* The bulk price can be negotiated, please contact us!!!

Features:

- * 10W~400W; freely choose to meet your needs
- * Light Efficiency: 130lm/W;

* Optics of symmetrical 15°, 30°, 60°, 90°,120° Dissymmetrical 70°*150°, 80°*155°, 85°*155° available on request;

* High-transmittance and anti-UV Frosted Polycarbonate lens; Excellent thermal management design;

- * Die-casting aluminum with polyester powder coat finish;
- * IP66/IK08 rating for outdoor usage;
- * Easy installation and low maintenance;
- * Energy savings, no UV and IR radiations, emits low heat;
- *Intelligent dimming system can be added: 0-10V, DMX and DALI dimming modes;
- * ETL/cETL/FCC/CE/RoHS approval;
- * 6 years warranty
- * Can be used in parallel with multiple modules

Product Paramenters

Model NO.	YH-S10-1	YH-S20-1	YH-S30-1		
NW/Size	0.5kg/ 182*122*47mm	1kg/ 242*169*51mm	1.5kg/ 282*220*52mm		
Luminous Flux	>1300LM	>2600LM	>3900LM		
Packing	395*270*290mm, 20pcs	510*365*315mm, 20pcs	465*305*315mm, 10pcs		
Model NO.	YH-S50-1	YH-S80-1	YH-S100-1		
NW/Size	1.6kg/ 282*204*52mm	2.3kg/ 337*269*52mm	4.4kg/ 394*394*56mm		
Luminous Flux	>90000LM	>10400LM	>13000LM		
Packing	465*305*315mm,10pcs	588*360*315mm, 10pcs	440*420*115mm		
Model NO.	YH-S150-1	YH-S200-1	YH-S300-1		
NW/Size	5.4kg/ 445*392*56mm	6.5kg/ 497*392*59mm	10kg/ 503*545*64mm		
Luminous Flux	>19500LM	>26000LM	>39000LM		
Packing	490*420*115mm	540*420*115mm	580*550*115mm		
Beam angle	7°,15°, 30°, 60°, 90°, 120°, 70*150°, 80*155°, 85*155° degree optional				
IK	IK08	IP Grade	IP66		
ССТ	2700-6500k	PF Rate	>0.95		
luminous efficiency	>130lm/W	CRI	>80		
Life span	50000h	Input voltage	AC85-305V		

High Brightness LED Chips & PC Optical Lens

120lm/w, 150lm/w, 160lm/w SMD3030

Low light decay to keep the better light performance High light transmittance, shock resistance, optimize lighting property, and reduce glare at the same time, with uniform light output, light transmittance>90%.

Blue & Black optional

Blue & Black optional, Waterproof rating of IP66

Adjustable Angle

100-400W floodlight has with gear structure, which can ensure the lamp is fixed tight at any angle1. Just one tool-free adjustment2. Rotate up and down

Internal pressure balanced respirator

The main function of an internal pressure balance respirator is to only inhale air, not water. To

achieve the IP65/IP66 protection level, the inside of the lamp can be fully balanced with the external pressure, and the service life of the rubber ring can also be extended.

Color temperature chart

Applications

FAQ

1 Are you a factory or trade company?

-- We are a professional LED Lighting products factory!

2 Do you have a minimum order quantity?

Yes, we require all international orders to have an ongoing minimum order quantity. If you are looking to resell but in much smaller quantities, we recommend you check out our website

3 Can you OEM or ODM?

Yes, we have a strong developing team. The products can be made according to your request.

4 Can you supply the relevant documentation?

Yes, we can provide most documentation including Certificates of Analysis / Conformance; Insurance; Origin, and other export documents where required.

5 What is the product warranty?

We warranty our materials and workmanship. Our commitment is to your satisfaction with our products. In warranty or not, it is the culture of our company to address and resolve all customer issues to everyone's satisfaction

6 Do you guarantee safe and secure delivery of products?

Yes, we always use high-quality export packaging. We also use specialized hazard packing for dangerous goods and validated cold storage shippers for temperature sensitive items. Specialist packaging and non-standard packing requirements may incur an additional charge.

7 How about the shipping fees?

The shipping cost depends on the way you choose to get the goods. Express is normally the most quickest but also most expensive way. By seafreight is the best solution for big amounts. Exactly freight rates we can only give you if we know the details of amount, weight and way. Please contact us for further information.

